

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1-3. (Cancelled)
4. (Currently Amended) A method for producing a composition comprising S-nitrosohemoglobin, said method comprising adding free NO to a composition comprising oxyhemoglobin under conditions sufficient to maintain the R structure of hemoglobin and preserve redox chemistry in hemoglobin and wherein the free NO is added in an amount sufficient to produce S-nitrosohemoglobin.
5. (Currently Amended) A method of producing a composition comprising intraerythrocytic S-nitrosohemoglobin, said method comprising adding free NO to a composition comprising oxygenated erythrocytes under conditions sufficient to maintain the R structure of hemoglobin and preserve redox chemistry in hemoglobin and wherein the free NO is added in an amount sufficient to produce S-nitrosohemoglobin.
6. (Previously Presented) A method for producing a composition comprising intraerythrocytic NO at greater than about 50nM, said method comprising adding sufficient free NO to a composition comprising oxygenated to yield an intraerythrocytic NO concentration of greater than about 50nM.
- 7-29 (Cancelled)
30. (Previously Presented) The method of claim 4, wherein the conditions sufficient to maintain the R structure of hemoglobin comprise a phosphate concentration that is less than 100 mM.
31. (Previously Presented) The method of claim 30, wherein the phosphate concentration is about 10 mM.

- 32 (Previously Presented) The method of claim 4, wherein the amount of free NO is about 100 nM to about 1 mM and the ratio of free NO to heme is about 1:4000 to about 1:100.
33. (Previously Presented) The method of claim 5, wherein the conditions sufficient to maintain the R structure of hemoglobin comprise a phosphate concentration that is less than 100 mM.
34. (Previously Presented) The method of claim 33, wherein the phosphate concentration is about 10 mM.
- 35 (Previously Presented) The method of claim 5, wherein the amount of free NO is about 100 nM to about 1 mM and the ratio of free NO to heme is about 1:4000 to about 1:100.